



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

KAZAMA, Toshio et al

Group Art Unit: 2833

Serial No.: 10/578,312

Examiner: Gary F. Paumen

Filed: May 4, 2006

P.T.O. Confirmation No.: 5719

For: CONDUCTIVE-CONTACT HOLDER AND CONDUCTIVE-CONTACT UNIT

RESPONSE TO ELECTION OF SPECIES REQUIREMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

June 4, 2007

Sir:

This is in response to the Office Action of April 4, 2007, requiring election among various species of the subject invention under the provisions of 35 USC § 121.

In the Office Action, it was indicated that claim 1 were generic to a number of species of the invention as disclosed in the specification. It was therefore required that applicants elect a single disclosed species for prosecution on the merits to which the claims shall be restricted in the event the generic claim was not found to be allowable.

Applicants hereby elect the **Species 2 - Fig. 4** for prosecution on the merits in the event the generic claim is not found to be allowable. From a review of the specification and claims, it would appear that the **claims 18-22 and 34 to 36 read on the elected** species. Applicants reserve the right to file one or more divisional applications directed to the subject matter of the non-elected species.


Serial No.: 10/578,312
OA dated 4/4/07
Response dated 6/4/07

Favorable consideration of the subject application is respectfully requested.

In the event this paper is not timely filed, the undersigned hereby petitions for an appropriate extension of time. The fee for this extension may be charged to Deposit Account No. 01-2340, along with any other additional fees which may be required with respect to this response.

Respectfully submitted,

ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP



Donald W. Hanson
Attorney for Applicants
Reg. No. 27,133

Atty. Docket No. 060356
Suite 1000, 1725 K Street, N.W.
Washington, D.C. 20006
(202) 659-2930
DWH/nk



23850

PATENT TRADEMARK OFFICE